

Material Safety Data Sheet

Mennen Shaving Cream sensitive skin
(AEROSOL)

MENNEN AEROSOL SHAVE CREAM - SENSITIVE

Infosafe no. LPSQW Issue Date June 2004 Status ISSUED by COLGATE

Not classified as hazardous according to criteria of Worksafe Australia

COMPANY DETAILS

Company Name Colgate-Palmolive Pty Ltd (ACN 002 792 163)
 Address Level 15, 345 George Street, Sydney
 NSW 2000
 Emergency Tel. 1800 638 556
 Tel/Fax Tel: (02) 9229 5600 Fax: (02) 9232 8448

IDENTIFICATION

Product Code
 Product Name MENNEN AEROSOL SHAVE CREAM - SENSITIVE
 Proper Shipping
 Name AEROSOLS
 Other Names Not Available
 UN Number 1950
 DG Class 2.2
 Sub. Risk #
 Poisons
 Schedule Not Scheduled
 Product Use Shaving Cream

Physical Data

Appearance Opaque white foam
 Specific Gravity Not available
 Flash Point Not available
 Flamm. Limit
 LEL Not available
 Flamm. Limit
 UEL Not available

Other Properties

pH Value 7.7-9.1
Stability Stable under normal conditions.
Haz.
Polymerization Will not occur.

Ingredients

Ingredients	Name	CAS	Proportion
	Ingredients determined not to be hazardous	Not required	100 %

Information on Composition Contains tea soap, water and additives.

HEALTH HAZARD INFORMATION

Health Effects

Acute - Swallowed Ingestion of large quantities may cause irritation to the gastrointestinal system. Symptoms can include nausea, vomiting and diarrhoea.

Acute - Eye May cause irritation in contact with the eyes, including redness, stinging and lachrymation.

Acute - Skin May cause irritation to individuals with sensitive skin.

Acute - Inhaled Non-harmful by inhalation.

Chronic No known chronic effects.

First Aid

Swallowed Wash out mouth with water. If irritation develops, seek medical attention.

Eye If contact with the eye(s) occur, wash with copious amounts of water holding eyelid(s) open. Seek medical attention if irritation develops and persists.

Skin Wash gently and thoroughly with water. If irritation develops and persists, seek medical attention.

Inhaled None required. However, if breathing is effected, remove source of contamination or victim to fresh air.

First Aid Facilities Normal washroom facilities.

Advice to Doctor

Advice to Doctor Treat symptomatically.

Other Health Hazard Information

PRECAUTIONS FOR USE

Exposure Limits No exposure standards have been established for this material by the National Occupational Health And Safety Commission (NOHSC). However, all exposure should be kept to the least possible levels.

Eng. Controls No special engineering controls required. However, under industrial applications, provide sufficient ventilation to keep airborne levels to the lowest possible levels. Where vapours or mists are generated, the use of respiratory protection, or a local exhaust ventilation system is recommended.

Personal Protection

Respirator Type (AS 1716) Not required under normal conditions of use.
 Industrial Applications: Where ventilation is inadequate and vapours/mists are generated, the use of an approved respirator with filter complying with AS/NZS 1715 and AS/NZS 1716 is recommended; however final choice of appropriate breathing protection is dependant upon actual airborne concentrations and the type of breathing protection required will vary according to individual circumstances. Expert advice may be required to make this decision. Reference should be made to Australian Standards AS/NZS 1715- Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716- Respiratory Protective Devices.

Eye Protection Not required under normal conditions of use. However, avoid eye contact.
 Industrial Applications: The use of safety glasses as appropriate when handling large quantities. Refer to Australian Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.

Glove Type Not required under normal conditions of use.
 Industrial Applications: The use of gloves recommended. Final choice is dependent on individual circumstances.

Clothing Not required under normal conditions of use.
 Industrial Applications: Suitable impervious protective clothing. Final choice is dependent on individual circumstances.

Footwear Not required under normal conditions of use.
Industrial Applications: Safety boots with non-slip soles as required.

Flammability

Fire Hazards Non flammable, however if involved in a fire may release toxic gases. Heat will build pressure and may rupture/explode aerosol containers.

SAFE HANDLING INFORMATION

Storage and Transport

Storage Precautions Store in closed packing in a dry, well-ventilated area, out of direct sunlight. Store away from incompatible materials such as materials that support combustion (oxidising materials). Do NOT pressurise, cut or heat aerosol containers. Content is under pressure and can explode violently.

Transport This material is classified as a Class 2.2 Dangerous Good according to the Australian Code for the Transport of Dangerous Goods. Class 2.2 Non-flammable Non-toxic Gases shall not be loaded or packed in the same vehicle or freight as:

- Class 1 (Explosives)
- Class 4.2 (Spontaneously Combustible Substances)
- Class 5.2 (Organic Peroxides).

Handling Avoid eye contact. It is essential that all who come into contact with large quantities of this material, maintain high standards of personal hygiene i.e. washing hands prior to eating, drinking, smoking or going to the toilet. Build-up of vapours or mist in the working atmosphere must be prevented. Ensure ventilation is adequate. Keep containers closed when not in use.

Proper Shipping

Name AEROSOLS
EPG Number 2D1
IERG Number 49
Packaging Method 5.9.2

Spills and Disposal

Fire/Explosion Hazard

Fire/Explos. Hazard	Non-flammable. May release toxic fumes if involved in a fire. Heat will build pressure and may rupture/explode aerosol containers.
Fire Fighting Precautions	Self-contained breathing apparatus (S.C.B.A) and full protective clothing should be worn.
Extinguishing Media	Use extinguishing media suitable for surrounding environment.

OTHER INFORMATION

Toxicology Other Information	No toxicity data available for this product.
Environ. Protection	Prevent large quantities of this material from entering the environment.

CONTACT POINT

Contact	24Hr Emergency Response - 1800 638 556 The information on this sheet is limited to the material identified and is believed by Colgate-Palmolive Pty Ltd to be correct based on its knowledge and information as of the date noted. Colgate Palmolive Pty Ltd makes no representation, guarantee or warranty, expressed or implied, as to the accuracy, reliability or completeness of the information and assumes no responsibility for injury, damage or loss resulting from the use of the material.
----------------	---

End of MSDS

October 12, 2006

Pat Martinez, from the school Police office will be handling the problem with the fire alarm system at Dr. Fermin Calderon School un-graded.

Thanks
Troy Turner, District Textbook/Safety Clerk

From: Ramon, Sonia
Sent: Thursday, October 12, 2006 11:33 AM
To: Turner, Troy M.; Dunlap, Dennis
Subject: RE: Fire Alarms

I just spoke to Mrs. McGonagill. She needs the alarms *and* the extinguishers.

From: Turner, Troy M.
Sent: Thursday, October 12, 2006 10:52 AM
To: Dunlap, Dennis
Cc: Ramon, Sonia; Ozuna, Alfonso
Subject: RE: Fire Alarms

October 12, 2006

Mr. Dunlap,

I just called the Special Ed. Un-Graded classroom at Dr. Fermin Calderon School. Apparently they did not get the two fire extinguishers returned back from this past summer. I will have two fire extinguishers installed this afternoon.

Troy Turner

From: Dunlap, Dennis
Sent: Thursday, October 12, 2006 9:02 AM
To: Turner, Troy M.
Subject: FW: Fire Alarms

10/12/06

Troy,

Please check Calderon special education and see what they are talking about, is it the fire extinguishers or actually the alarm?

Thanks
Dennis

From: Garcia, Arturo
Sent: Thursday, October 12, 2006 8:58 AM
To: Dunlap, Dennis
Subject: FW: Fire Alarms