

6/28/17

## Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 01.08.2015

Page 1 of 8

**Isopropanol, 70%, Rub Alcohol,**

### SECTION 1: Identification of the substance/mixture and of the supplier

**Product name:** Isopropanol, 70%, Rub Alcohol,

ALCOHOL ISOPROPRANOL  
70%

**Manufacturer/Supplier Trade name:**

**Manufacturer/Supplier Article number:** S25371

**Recommended uses of the product and restrictions on use:**

**Manufacturer Details:**

AquaPhoenix Scientific, Inc  
9 Barnhart Drive, Hanover, PA 17331  
(717) 632-1291

**Supplier Details:**

Fisher Science Education  
6771 Silver Crest Road, Nazareth, PA 18064  
(724)517-1954

**Emergency telephone number:**

Fisher Science Education Emergency Telephone No.: 800-535-5053

### SECTION 2: Hazards identification

**Classification of the substance or mixture:**

Flammable liquids, category 2  
Eye irritation, category 2A  
Specific target organ toxicity following single exposure, category 3

**Hazard statements:**

Highly flammable liquid and vapour.  
Causes serious eye irritation.  
May cause drowsiness or dizziness.

**Precautionary statements:**

If medical advice is needed, have product container or label at hand.  
Keep out of reach of children.  
Read label before use.  
Keep container tightly closed.  
Wash ... thoroughly after handling.  
Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
Ground/bond container and receiving equipment.  
Use explosion-proof electrical/ventilating/light/.../equipment.  
Use only non-sparking tools.  
Take precautionary measures against static discharge.  
Use only outdoors or in a well-ventilated area.  
Wear protective gloves/protective clothing/eye protection/face protection.  
Avoid breathing dust/fume/gas/mist/vapours/spray.  
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do.  
Continue rinsing.  
If eye irritation persists get medical advice/attention.  
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.  
Call a POISON CENTER or doctor/physician if you feel unwell.  
In case of fire: Use ... for extinction.  
Store in a well ventilated place. Keep container tightly closed.

# Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 01.08.2015

Page 2 of 8

**Isopropanol, 70%, Rub Alcohol,**


Store in a well ventilated place. Keep cool.  
Store locked up.  
Dispose of contents/container to ....

## Other Non-GHS Classification:

### WHMIS



### NFPA/HMIS



NFPA SCALE (0-4)

Health	1
Flammability	3
Physical Hazard	0
Personal Protection	X

HMIS RATINGS (0-4)

## SECTION 3: Composition/information on ingredients

Ingredients:		
CAS 67-63-0	Isopropanol	<44.98 %
CAS 7732-18-5	Deionized Water	>55.02 %
Percentages are by weight		

## SECTION 4: First aid measures

### Description of first aid measures

#### After inhalation:

Move exposed individual to fresh air. Loosen clothing as necessary and position individual in a comfortable position. Seek medical advice if discomfort or irritation persists.

#### After skin contact:

Wash affected area with soap and water. Rinse/flush exposed skin gently using water for 15-20 minutes. Seek medical attention if irritation persists or if concerned.

#### After eye contact:

Protect unexposed eye. Immediately flush eyes with water for at least 15 minutes. Immediately get medical assistance.

#### After swallowing:

Induce vomiting. Dilute mouth with water or milk after rinsing. Immediately get medical assistance.

### Most important symptoms and effects, both acute and delayed:

Shortness of breath. Irritation. Nausea. Headache.

# Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 01.08.2015

Page 3 of 8

## Isopropanol, 70%, Rub Alcohol,

### Indication of any immediate medical attention and special treatment needed:

If seeking medical attention, provide SDS document to physician. Physician should treat symptomatically.

### SECTION 5: Firefighting measures

#### Extinguishing media

##### Suitable extinguishing agents:

Use water, dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam. Water spray can be used to dilute spills to nonflammable mixtures.

##### Unsuitable extinguishing agents: None

#### Special hazards arising from the substance or mixture: None

#### Advice for firefighters:

##### Protective equipment:

Wear protective eyewear, gloves, and clothing. Refer to Section 8.

##### Additional information (precautions):

Ensure adequate ventilation. Avoid contact with skin, eyes, and clothing. Do not inhale gases, fumes, dust, mist, vapor, and aerosols.

### SECTION 6: Accidental release measures

#### Personal precautions, protective equipment and emergency procedures:

Keep away from ignition sources. Protect from heat. Ensure that dust-handling systems (exhaust ducts, dust collectors, vessels, and processing equipment) are designed to prevent the escape of dust into the work area.

#### Environmental precautions:

Prevent from reaching drains, sewer or waterway. Should not be released into environment.

#### Methods and material for containment and cleaning up:

Use spark-proof tools and explosion-proof equipment. Have fire extinguishing agent available in case of fire. Always obey local regulations. Collect liquids using vacuum or by use of absorbents. Place into properly labeled containers for recovery or disposal. Remove all sources of ignition. Contain spill then collect. Do not flush to sewer. Absorb with a noncombustible absorbent material such as sand or earth and containerize for disposal. Refer to Section 13. Ventilate area of spill.

#### Reference to other sections: None

### SECTION 7: Handling and storage

#### Precautions for safe handling:

Do not eat, drink, smoke, or use personal products when handling chemical substances. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes, and clothing. Empty containers retain product residue and can be dangerous.

#### Conditions for safe storage, including any incompatibilities:

Store in a cool location. Store securely in flammable storage area away from sources of ignition. Provide ventilation for containers. Avoid storage near extreme heat, ignition sources or open flame. Keep container tightly sealed. Protect from freezing and physical damage. Store away from incompatible materials.

### SECTION 8: Exposure controls/personal protection



## Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 01.08.2015

Page 4 of 8

### Isopropanol, 70%, Rub Alcohol,

<b>Control Parameters:</b>	67-63-0, Isopropanol, ACGIH: 400 ppm STEL; 200 ppm TWA. 67-63-0, Isopropanol, NIOSH: 500 ppm STEL; 1225 mg/m <sup>3</sup> STEL. 67-63-0, Isopropanol, NIOSH: 400 ppm TWA; 980 mg/m <sup>3</sup> TWA.
<b>Appropriate Engineering controls:</b>	Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.
<b>Respiratory protection:</b>	Not required under normal conditions of use. Use suitable respiratory protective device when high concentrations are present.
<b>Protection of skin:</b>	Select glove material impermeable and resistant to the substance. Select glove material based on rates of diffusion and degradation.
<b>Eye protection:</b>	Safety glasses with side shields or goggles.
<b>General hygienic measures:</b>	Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Perform routine housekeeping. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices.

### SECTION 9: Physical and chemical properties

<b>Appearance (physical state, color):</b>	Clear colorless liquid	<b>Explosion limit lower:</b> <b>Explosion limit upper:</b>	2% 12.7%
<b>Odor:</b>	Alcohol	<b>Vapor pressure:</b>	Approx 33 at 20°C
<b>Odor threshold:</b>	Not Available	<b>Vapor density:</b>	Not Available
<b>pH-value:</b>	Not Available	<b>Relative density:</b>	0.785 g/mL at 25°C
<b>Melting/Freezing point:</b>	Below -88°C	<b>Solubilities:</b>	Infinite solubility.
<b>Boiling point/Boiling range:</b>	Approx 82°C	<b>Partition coefficient (n-octanol/water):</b>	log Pow: 0.05
<b>Flash point (closed cup):</b>	12.0°C	<b>Auto/Self-ignition temperature:</b>	425.0°C
<b>Evaporation rate:</b>	3.0	<b>Decomposition temperature:</b>	Not Available
<b>Flammability (solid,gaseous):</b>	Flammable	<b>Viscosity:</b>	a. Kinematic: Not Available b. Dynamic: Not Available
<b>Density:</b> Not Available			

### SECTION 10: Stability and reactivity

#### Reactivity:

None under normal processing.

#### Chemical stability:

No decomposition if used and stored according to specifications. Stable under normal conditions.

#### Possible hazardous reactions:

None under normal processing.

## Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 01.08.2015

Page 5 of 8

### Isopropanol, 70%, Rub Alcohol,

#### Conditions to avoid:

Incompatible materials.

#### Incompatible materials:

Strong oxidizers, heat, sparks, open flames. Will attack some forms of rubber, plastics and coatings. May react with metallic aluminum and generate hydrogen gas.

#### Hazardous decomposition products:

Toxic oxides of carbon, acrid and irritating fumes.

### SECTION 11: Toxicological information

<b>Acute Toxicity:</b>		
<b>Dermal:</b>	67-63-0	LD50 Oral - Rat - 5,045 mg/kg
<b>Inhalation:</b>	67-63-0	LC50 Inhalation - Rat - 8 h - 16000 ppm
<b>Dermal:</b>	67-63-0	LD50 Dermal - Rabbit - 12,800 mg/kg
<b>Chronic Toxicity:</b> No additional information.		
<b>Corrosion Irritation:</b>		
<b>Dermal:</b>	67-63-0	LD50 Dermal - Rabbit - 12,800 mg/kg
<b>Ocular:</b>	67-63-0	Eyes - Rabbit Result: Eye irritation - 24 h
<b>Sensitization:</b> No additional information.		
<b>Single Target Organ (STOT):</b> 67-63-0: Inhalation, Oral - May cause drowsiness or dizziness.		
<b>Numerical Measures:</b> No additional information.		
<b>Carcinogenicity:</b> No additional information.		
<b>Mutagenicity:</b> No additional information.		
<b>Reproductive Toxicity:</b> No additional information.		

### SECTION 12: Ecological information

#### Ecotoxicity:

**67-63-0:** LC50 - Pimephales promelas (fathead minnow) - 9,640.00 mg/l - 96 h

**67-63-0:** EC50 - Daphnia magna (Water flea) - 5,102.00 mg/l - 24 h

**67-63-0:** Immobilization EC50 - Daphnia magna (Water flea) - 6,851 mg/l - 24 h

**67-63-0:** EC50 - Desmodesmus subspicatus (green algae) - > 2,000.00 mg/l - 72 h

**67-63-0:** EC50 - Algae - > 1,000.00 mg/l - 24 h

**Persistence and degradability:** None

**Bioaccumulative potential:** None

**Mobility in soil:**

Aqueous solution has high mobility in soil.

## Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 01.08.2015

Page 6 of 8

### Isopropanol, 70%, Rub Alcohol,

#### Other adverse effects:

Isopropanol has acute toxicity with effects of death in animals and low growth rates and death in plants. Chronic toxic effects, may be shortened life span, lower fertility, reproductive problems, and changes in appearance and/or behavior in animals.

### SECTION 13: Disposal considerations

#### Waste disposal recommendations:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Remove all sources of ignition. Do not flush to sewer. Have fire extinguishing agent available in case of fire. Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations. Ensure complete and accurate classification. Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable.

### SECTION 14: Transport information

#### UN-Number:

UN1219

#### UN proper shipping name:

Isopropanol

**Transport hazard class(es):** None

**Packing group:** III

**Environmental hazard:** None

**Transport in bulk:** Not Applicable

**Special precautions for user:** None

### SECTION 15: Regulatory information

#### United States (USA)

##### SARA Section 311/312 (Specific toxic chemical listings):

Acute, Chronic, Fire

##### SARA Section 313 (Specific toxic chemical listings):

67-63-0 Isopropanol.

##### RCRA (hazardous waste code):

None of the ingredients are listed.

##### TSCA (Toxic Substances Control Act):

None of the ingredients are listed.

##### CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

None of the ingredients are listed.

#### Proposition 65 (California):

##### Chemicals known to cause cancer:

None of the ingredients are listed.

## Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 01.08.2015

Page 7 of 8

### Isopropanol, 70%, Rub Alcohol,

#### Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

#### Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

#### Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

#### Canada

##### Canadian Domestic Substances List (DSL):

All ingredients are listed.

##### Canadian NPRI Ingredient Disclosure list (limit 0.1%):

None of the ingredients are listed.

##### Canadian NPRI Ingredient Disclosure list (limit 1%):

67-63-0 Isopropanol.

### SECTION 16: Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

**GHS Full Text Phrases:** None

#### Abbreviations and Acronyms:

IMD International Maritime Code for Dangerous Goods.  
PNEC Predicted No-Effect Concentration (REACH).  
CFR Code of Federal Regulations (USA).  
SARA Superfund Amendments and Reauthorization Act (USA).  
RCRA Resource Conservation and Recovery Act (USA).  
TSCA Toxic Substances Control Act (USA).  
NPRI National Pollutant Release Inventory (Canada).  
DOTUS Department of Transportation.  
IATA International Air Transport Association.  
GHS Globally Harmonized System of Classification and Labelling of Chemicals.  
ACGIH American Conference of Governmental Industrial Hygienists.  
CAS Chemical Abstracts Service (division of the American Chemical Society).  
NFPA National Fire Protection Association (USA).  
HMIS Hazardous Materials Identification System (USA).  
WHMIS Workplace Hazardous Materials Information System (Canada).  
DNEL Derived No-Effect Level (REACH).

Effective date: 01.08.2015

**Safety Data Sheet**

according to 29CFR1910/1200 and GHS Rev. 3

**Effective date :** 01.08.2015

Page 8 of 8

**Isopropanol, 70%, Rub Alcohol,**

**Last updated:** 05.20.2015