

SAFETY DATA SHEET

			4/20/2015
1. Identification			<u> </u>
Product identifier	HP LaserJet C4096A-AC Print Cartridge		
Other means of identification	Not available.		
Recommended use	This product is a toner preparation that is	used in HP LaserJet 210() and 2200 series printers
Recommended restrictions	None known.		
Company identification	Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185	HP Laser	Jet 2100, 2200
	United States Telephone 650-857-5020	Toner	Cartridge
	Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line		
	(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551		
	Email: hpcustomer.inquiries@hp.com		

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Not classified.	
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		
Hazard symbol	None	
Signal word	None.	
Hazard statement	Not available.	
Precautionary statement		
Prevention	Not available.	
Response	Not available.	
Storage	Not available.	
Disposal	Not available.	
Hazard(s) not otherwise classified (HNOC)	This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH.	
Supplemental information	None,	

3. Composition/information on ingredients

Mixtures

Lommon na	me and synonyms	CAS number	%	
Iron oxide		1317-61-9	<50	
		Trade Secret	<50	
		Common name and synonyms Iron oxide	Iron oxide 1317-61-9	

4. First-aid measures

InhalationMove person to fresh air immediately. If irritation persists, consult a physician.Skin contactWash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.

Material name: C4096A-AC

8927 Version #: 01 Issue date: 16-Apr-2015

Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for a
Ingestion	least 15 minutes or until particles are removed. If irritation persists, consult a physician. Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a
Aost important	physician.
symptoms/effects, acute and lelayed	Not available.
5. Fire-fighting measure	in the second
Suitable extinguishing media	CO2, water, or dry chemical
Unsuitable extinguishing media	None known.
Specific hazards arising from the chemical	Not applicable.
Special protective equipment and precautions for firefighters	Not available.
Fire-fighting equipment/instructions	If fire occurs in the printer, treat as an electrical fire.
Specific methods	None established.
6. Accidental release me	asures
Personal precautions, protective equipment and emergency procedures	Minimize dust generation and accumulation.
Methods and materials for containment and cleaning up	Not available.
invironmental precautions	Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.
. Handling and storage	
recautions for safe handling	Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.
Conditions for safe storage, ncluding any ncompatibilities	Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Store at room temperature.
• • • • • • • • • • • • • • • • • • •	
. Exposure controls/per	sonal protection
ccupational exposure limits	No exposure limits noted for ingredient(s).
iological limit values	No biological exposure limits noted for the ingredient(s).
xposure guidelines	USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction)
	ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate)
	Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10 mg/m3
	TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)
	UK WEL: 10 mg/m3 (Respirable Dust), 5 mg/m3 (Inhalable Dust)
	Liso in a well ventilated area

Appropriate engineering controls

Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

Eye/face protection	Not available.
Skin protection	
Hand protection	Not available.
Other	Not available.
Respiratory protection	Not available.
Thermal hazards	Not available.

Material name: C4096A-AC

8927 Version #: 01 Issue date: 16-Apr-2015

9. Physical and chemical properties

si rinysicai anu chemica	ar propercies
Appearance	Fine powder
Physical state	Solid.
Color	Black.
Odor	Slight plastic odor
Odor threshold	Not available.
рН	Not applicable
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not applicable
Flash point	Not applicable
Evaporation rate	Not applicable
Flammability (solid, gas)	Not available.
Upper/lower flammability or	explosive limits
Flammability limit - lower (%)	
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not applicable
Solubility(ies)	
Solubility (water)	Negligible in water. Partially soluble in toluene and xylene.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not applicable
Decomposition temperature	> 392 °F (> 200 °C)
Viscosity	Not applicable
Other information	
Percent volatile	0 % estimated
Softening point	212 - 302 °F (100 - 150 °C)
Specific gravity	1.4 - 1.8

10. Stability and reactivity

Reactivity	Not available.
Chemical stability	Stable under normal storage conditions.
Possibility of hazardous reactions	Will not occur.
Conditions to avoid	Imaging Drum: Exposure to light
Incompatible materials	Strong oxidizers
Hazardous decomposition products	Carbon monoxide and carbon dioxide.

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics

Not available.

Information on toxicological effects

Acute toxicity LD50/oral/rat >2000 mg/kg; (OECD 401); Not harmful. Not classified for acute toxicity according to EU Directive 67/548/EEC and 1999/45/EC. Skin corrosion/irritation Not available.

Material name: C4096A-AC

8927 Version #: 01 Issue date: 16-Apr-2015

Serious eye damage/eye irritation	Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.
Respiratory or skin sensitizati	
Respiratory sensitization	Not available.
Skin sensitization	Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.
Germ cell mutagenicity	Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)
Carcinogenicity	Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California).
Reproductive toxicity	Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).
Specific target organ toxicity - single exposure	Not available.
Specific target organ toxicity - repeated exposure	Not available.
Aspiration hazard	Not available.
Chronic effects	No information available.
Further information	Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.

12. Ecological information

Product		Species				Test I	Results		
C4096A-AC Aquatic			·	· · · · ·					
Fish	LL50	Rainbow 1	Frout	•		> 100	0 mg/l, 96 Ho	urs	···.
ersistence and degradability	Not available.	an fa	· .			-	2 - L		
ioaccumulative potential	Not available.								· .
lobility in soil	Not available.	·			:	-			
ther adverse effects	Not available.	· .	.1.					• .	

13. Disposal considerations

Disposal instructions

Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

UN number	UN2807
UN proper shipping name	Magnetized Materia
Transport hazard class(es)	
Class	Not available.
Subsidiary risk	-
Packing group	Not applicable.
Environmental hazards	No.
Special precautions for	Not available.
user	
(DC	

IMDG

Not regulated as dangerous goods.

Not regulated as dangerous goods. Further information

55 or more of these cartridges shipped together in a single package (e.g., box, container), by air, are regulated as a magnetized material. These requirements do not apply to single or dual pack cartridges contained in an original HP package and shrink wrapped on a pallet for shipment by air.

15. Regulatory information

US federal regulations

US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA) Hazard categories Immediate Hazard - No

No

Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical

Other federal regulations

Safe Drinking Water Act Not regulated. (SDWA)

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

- US. New Jersey Worker and Community Right-to-Know Act Not listed.
- US. Pennsylvania Worker and Community Right-to-Know Law Not listed.
- US. Rhode Island RTK Not regulated.
- **US. California Proposition 65**

Not Listed.

Regulatory information

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

Issue date	16-Apr-2015
Version #	01
Disclaimer	This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing
	specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Revision Information

Product and Company Identification: Physical States
 Hazards Identification: US Hazard Categories

 Composition / Information on Ingredients: Ingredients
 Physical & Chemical Properties: Multiple Properties
 Toxicological Information: Toxicological Data
 Ecological Information: Ecotoxicity
 Transport Information: Agency Name, Packaging Type, and Transport Mode Selection
 Regulatory Information: United States
 Material Attributes & Uses; Experimental Data: Experimental Data
 Index: United States
 Hewlett-Packard Company
 11311 Chinden Boulevard
 Boise, ID 83714 USA
 (Direct) 1-503-494-7199
 (Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

Manufacturer information

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	
CFR	Comprehensive Environmental Response Compensation and Liability Act Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	
IARC	Emergency Planning and Community Right-to-Know Act (aka SARA)
NIOSH	International Agency for Research on Cancer
	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	
TLV	Toxicity Characteristics Leaching Procedure
TSCA	Threshold Limit Value
	Toxic Substances Control Act
VOC	Volatile Organic Compounds

Material name: C4096A-AC 8927 Version #: 01 Issue date: 16-Apr-2015