10/24/23 Subtitute

# 75% Alcohol wipes

Safety Data Sheet

according to Regulation (EU) 2015/830 Issue date: 3/31/2020 Revision date: 3/31/2020 Version: 1.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form

: Article

Trade name

75% Alcohol wipes

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture

: Alcohol wipes

Alchol Wipes Multi-purpose Vills 97.9% of germs llable By: Hom Works

1.2.2. Uses advised against

Restrictions on use

: No information available

#### 1.3. Details of the supplier of the safety data sheet

Manufacturer

KANGNA(ZHEJIANG) MEDICAL SUPPLIES CO.,LTD 5F, Tower 3, Intime office, No.88 Shuanglong Road, Xihu District, Hangzhou, China. T +86 571 86955263 - F +86 571 86957067

Importer

#### 1.4. Emergency telephone number

+86 571 86955263

#### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable solids, Category 1

H228

Full text of H statements: see section 16

## Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

#### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS02

Signal word (CLP)

Hazard statements (CLP)

Precautionary statements (CLP)

Danger

H228 - Flammable solid.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P240 - Ground and bond container and receiving equipment.

P241 - Use explosion-proof electrical/ventilating/lighting equipment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P370+P378 - In case of fire: Use Water spray, Dry powder, Foam, Carbon dioxide to

extinguish.

#### 2.3. Other hazards

# Safety Data Sheet

according to Regulation (EU) 2015/830

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

## SECTION 3: Composition/information on ingredients

## 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethyl alcohol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5	75	Flam. Liq. 2, H225
Water	(CAS-No.) 7732-18-5 (EC-No.) 231-791-2	25	Not classified

Full text of H-statements: see section 16

## **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

First-aid measures general

If you feel unwell, seek medical advice.

First-aid measures after inhalation

Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice.

First-aid measures after skin contact First-aid measures after eye contact

Not expected to present a significant skin hazard under anticipated conditions of normal use. Wash skin with plenty of water.

Rinse eyes with water as a precaution. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion

Rinse mouth. Call a poison center or a doctor if you feel unwell.

# 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media : Water spray, Dry powder. Foam. Carbon dioxide.

: No information available.

# 5.2. Special hazards arising from the substance or mixture

Fire hazard

Flammable.

Hazardous decomposition products in case of fire

Toxic fumes may be released.

#### 5.3. Advice for firefighters

Protection during firefighting

: Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

# Safety Data Sheet

according to Regulation (EU) 2015/830

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

**Emergency procedures** 

: Avoid contact with eyes.

#### 6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: Mechanically recover the product.

Other information

: Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Wear personal protective equipment. Handle in accordance with good industrial hygiene and safety practice.

Hygiene measures

: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Store in a well-ventilated place. Keep cool. Store in a dry place. Keep container tightly

closed.

Incompatible materials

: No information available.

#### 7.3. Specific end use(s)

No additional information available.

# SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

Ethyl alcohol (64-17-5)	
Austria - Occupational Exposure Limits	
MAK (mg/m³)	1900 mg/m³
MAK (ppm)	1000 ppm
MAK Short time value (mg/m³)	3800 mg/m³
MAK Short time value (ppm)	2000 ppm
Belgium - Occupational Exposure Limits	s
Limit value (mg/m³)	1907 mg/m³
Limit value (ppm)	1000 ppm
Bulgaria - Occupational Exposure Limits	s
OEL TWA (mg/m³)	1000 mg/m³

# Safety Data Sheet according to Regulation (EU) 2015/830

Ethyl alcohol (64-17-5)		
Croatia - Occupational Exposure Limits		
GVI (granična vrijednost izloženosti) (mg/m³)	1900 mg/m³	
GVI (granična vrijednost izloženosti) (ppm)	1000 ppm	
Czech Republic - Occupational Exposure Limits		
Expoziční limity (PEL) (mg/m³)	1000 mg/m³	
Denmark - Occupational Exposure Limits		
Grænseværdie (langvarig) (mg/m³)	1900 mg/m³	
Grænseværdie (langvarig) (ppm)	1000 ppm	
Estonia - Occupational Exposure Limits		
OEL TWA (mg/m³)	1000 mg/m³	
OEL TWA (ppm)	500 ppm	
OEL STEL (mg/m³)	1900 mg/m³	
OEL STEL (ppm)	1000 ppm	
Finland - Occupational Exposure Limits		
HTP-arvo (8h) (mg/m³)	1900 mg/m³	
HTP-arvo (8h) (ppm)	1000 ppm	
HTP-arvo (15 min)	2500 mg/m³	
HTP-arvo (15 min) (ppm)	1300 ppm	
France - Occupational Exposure Limits		
VME (mg/m³)	1900 mg/m³	
VME (ppm)	1000 ppm	
VLE (mg/m³)	9500 mg/m³	
VLE (ppm)	5000 ppm	
Germany - Occupational Exposure Limits (TRG		
Occupational exposure limit value (mg/m³)	380 mg/m³ (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Occupational exposure limit value (ppm)	200 ppm (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Greece - Occupational Exposure Limits		
OEL TWA (mg/m³)	1900 mg/m³	
OEL TWA (ppm)	1000 ppm	
Hungary - Occupational Exposure Limits		
AK-érték	1900 mg/m³	
CK-érték	7600 mg/m³	
Ireland - Occupational Exposure Limits		
OEL (15 min ref) (ppm)	1000 ppm	
Latvia - Occupational Exposure Limits		
OEL TWA (mg/m³)	1000 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (mg/m³)	1000 mg/m³	
IPRV (ppm)	500 ppm	

# 75% alcohol wipes Safety Data Sheet according to Regulation (EU) 2015/830

Ethyl alcohol (64-17-5)		
TPRV (mg/m³)	1900 mg/m³	
TPRV (ppm)	1000 ppm	
Netherlands - Occupational Exposure Limits		
Grenswaarde TGG 8H (mg/m³)	260 mg/m³	
Grenswaarde TGG 15MIN (mg/m³)	1900 mg/m³	
MAC chemical category	Skin notation	
Poland - Occupational Exposure Limits		
NDS (mg/m³)	1900 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA (ppm)	1000 ppm	
OEL chemical category (PT)	A4 - Not Classifiable as a Human Carcinogen	
Romania - Occupational Exposure Limits		
OEL TWA (mg/m³)	1900 mg/m³	
OEL TWA (ppm)	1000 ppm	
OEL STEL (mg/m³)	9500 mg/m³	
OEL STEL (ppm)	5000 ppm	
Slovakia - Occupational Exposure Limits		
NPHV (priemerná) (mg/m³)	960 mg/m³	
NPHV (priemerná) (ppm)	500 ppm	
NPHV (Hraničná) (mg/m³)	1920 mg/m³	
Slovenia - Occupational Exposure Limits		
OEL TWA (mg/m³)	1900 mg/m³	
OEL TWA (ppm)	1000 ppm	
OEL STEL (mg/m³)	7600 mg/m³	
OEL STEL (ppm)	4000 ppm	
Spain - Occupational Exposure Limits		
VLA-EC (mg/m³)	1910 mg/m³	
VLA-EC (ppm)	1000 ppm	
Sweden - Occupational Exposure Limits		
nivågränsvärde (NVG) (mg/m³)	1000 mg/m³	
nivågränsvärde (NVG) (ppm)	500 ppm	
kortidsvärde (KTV) (mg/m³)	1900 mg/m³	
kortidsvärde (KTV) (ppm)	1000 ppm	
United Kingdom - Occupational Exposure Limits		
WEL TWA (mg/m³)	1920 mg/m³	
WEL TWA (ppm)	1000 ppm	
WEL STEL (mg/m³)	5760 mg/m³ (calculated)	
WEL STEL (ppm)	3000 ppm (calculated)	
Norway - Occupational Exposure Limits		
Grenseverdier (AN) (mg/m³)	950 mg/m³	

# Safety Data Sheet

according to Regulation (EU) 2015/830

Ethyl alcohol (64-17-5)		
Grenseverdier (AN) (ppm)	500 ppm	
Grenseverdier (Korttidsverdi) (mg/m3)	1187.5 mg/m³ (value calculated)	
Grenseverdier (Korttidsverdi) (ppm)	625 ppm (value calculated)	
Switzerland - Occupational Exposure Limits		
MAK (mg/m³)	960 mg/m³	
MAK (ppm)	500 ppm	
KZGW (mg/m³)	1920 mg/m³	
KZGW (ppm)	1000 ppm	
USA - ACGIH - Occupational Exposure Limit	ts	
ACGIH STEL (ppm)	1000 ppm	
ACGIH chemical category	Confirmed Animal Carcinogen with Unknown Relevance to Humans	

## 8.2. Exposure controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### Hand protection:

No special protection required under normal conditions.

#### Eye protection:

No special protection required under normal conditions.

#### Skin and body protection:

No special protection required under normal conditions.

# Respiratory protection:

No special protection required under normal conditions.

#### **Environmental exposure controls:**

Avoid release to the environment.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Fluid soaked paper towel
Colour : No data available
Odour : No data available
Odour threshold : No data available
pH : No data available
Relative evaporation rate (butylacetate=1) : No data available

Relative evaporation rate (butylacetate=1) : No data available
Melting point : No data available
Freezing point : Not applicable
Boiling point : No data available
Flash point : Not applicable
Auto-ignition temperature : Not applicable
Decomposition temperature : No data available

Flammability (solid, gas) : Non flammable.

Vapour pressure : No data available

# Safety Data Sheet

according to Regulation (EU) 2015/830

Relative vapour density at 20 °C : No data available Relative density : No data available Solubility : No data available Partition coefficient n-octanol/water (Log Pow) : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available Explosive properties : No data available : No data available

Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : Not applicable

#### 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

## 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

No additional information available.

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

#### Water (7732-18-5)

LD50 oral rat > 90 ml/kg

#### Ethyl alcohol (64-17-5)

LD50 oral rat	7060 mg/kg
LC50 inhalation rat (mg/l)	124.7 mg/l/4h

Skin corrosion/irritation : Not classified
Serious eye damage/irritation : Not classified
Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

# Safety Data Sheet

according to Regulation (EU) 2015/830

Ethyl alcohol (64-17-5)

IARC group 1 - Carcinogenic to humans

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short-term

(acute)

Hazardous to the aquatic environment, long-term

Hazardous to the aquatic environment, long-term

: Not classified: Not classified

(chronic)

Ethyl alcohol (64-17-5)		
LC50 fish 1 12.0 – 16.0 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])		
LC50 fish 2	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])	
EC50 Daphnia 1	9268 – 14221 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
EC50 Daphnia 2	2 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	

## 12.2. Persistence and degradability

No additional information available

## 12.3. Bioaccumulative potential

Ethyl alcohol (64-17-5)	
Partition coefficient n-octanol/water (Log Pow)	-0.32

# 12.4. Mobility in soil

No additional information available

## 12.5. Results of PBT and vPvB assessment

#### 75% Alcohol wipes

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

#### 12.6. Other adverse effects

No additional information available

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

# Safety Data Sheet

according to Regulation (EU) 2015/830

# **SECTION 14: Transport information**

accordance with ADR / RID / IMDG / IATA / ADN

IMDG	IATA	ADN	RID
UN 3175	UN 3175	UN 3175	UN 3175
g name	,		
SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethyl alcohol)	Solids containing flammable liquid, n.o.s. (Ethyl alcohol)	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethyl alcohol)	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethyl alcohol)
iption			
UN 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethyl alcohol), 4.1, II	UN 3175 Solids containing flammable liquid, n.o.s. (Ethyl alcohol), 4.1, II	UN 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethyl alcohol), 4.1, II	UN 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethyl alcohol), 4.1
class(es)	L		
4.1	4.1	4.1	4.1
II	II .	11	ll II
zards			
Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
	UN 3175 g name  SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethyl alcohol) iption  UN 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethyl alcohol), 4.1, II  class(es)  4.1  Un ards  Dangerous for the environment: No	UN 3175  g name  SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethyl alcohol)  iption  UN 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethyl alcohol), 4.1, II  Class(es)  II  II  II  II  II  II  II  II  II	UN 3175  g name  SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethyl alcohol)  iption  UN 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethyl alcohol)  iption  UN 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethyl alcohol)  iption  UN 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethyl alcohol), 4.1, II  il II II II II  iards  UN 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethyl alcohol), 4.1, II  il II II II II  iards  Dangerous for the environment : No Dangerous for the environment : No

# 14.6. Special precautions for user

#### **Overland transport**

Classification code (ADR)

Special provisions (ADR)

Limited quantities (ADR)

Excepted quantities (ADR) Packing instructions (ADR)

Special packing provisions (ADR)

Mixed packing provisions (ADR) Portable tank and bulk container instructions (ADR) : T3, BK1, BK2 Portable tank and bulk container special provisions : TP33

(ADR)

Vehicle for tank carriage

Transport category (ADR) Special provisions for carriage - Packages (ADR) Special provisions for carriage - Bulk (ADR)

Hazard identification number (Kemler No.)

Orange plates

: F1

: 216, 274, 601

: 1kg

: P002, IBC06, R001

: PP9 : MP11

: AT

: 2 : V11

: VC1, VC2, AP2

40

Tunnel restriction code (ADR)

# Safety Data Sheet

according to Regulation (EU) 2015/830

Transport by sea

Special provisions (IMDG) : 216, 274 P002 Packing instructions (IMDG) Special packing provisions (IMDG) PP9 IBC packing instructions (IMDG) IBC06 : B21 IBC special provisions (IMDG) : T3, BK2 Tank instructions (IMDG) : TP33 Tank special provisions (IMDG) : F-A EmS-No. (Fire)

: S-I EmS-No. (Spillage) : B Stowage category (IMDG)

: Mixtures of non-dangerous solids (such as soil, sand, production materials etc.) and Properties and observations (IMDG)

flammable liquids.

Air transport

PCA Excepted quantities (IATA) : E2 PCA Limited quantities (IATA) : Y441 PCA limited quantity max net quantity (IATA) : 5kg 445 PCA packing instructions (IATA) PCA max net quantity (IATA) 15kg CAO packing instructions (IATA) 448 50kg CAO max net quantity (IATA) A46 Special provisions (IATA) 3L ERG code (IATA)

Inland waterway transport

: F1 Classification code (ADN)

: 216, 274, 601, 800 Special provisions (ADN)

Limited quantities (ADN) 1 kg E2 Excepted quantities (ADN) : PP, EX, A Equipment required (ADN) VE01, VE03 Ventilation (ADN) : IN01, IN02 Provisions for inspection of holds during carriage

(ADN)

Number of blue cones/lights (ADN) : 1

: VE03, IN01 and IN02 apply only when this substance is carried in bulk or without packaging Additional requirements/Remarks (ADN)

Rail transport

Classification code (RID) : F1

: 216, 274, 601 Special provisions (RID)

: 1kg Limited quantities (RID) : E2 Excepted quantities (RID)

: P002, IBC06, R001 Packing instructions (RID)

: PP9 Special packing provisions (RID) Mixed packing provisions (RID) : MP11 Portable tank and bulk container instructions (RID) : T3, BK1, BK2

Portable tank and bulk container special provisions : TP33

(RID)

: 2 Transport category (RID) Special provisions for carriage - Packages (RID) : W1

Special provisions for carriage – Bulk (RID) : VC1, VC2, AP2

Colis express (express parcels) (RID) : CE11 : 40 Hazard identification number (RID)

# 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list

# Safety Data Sheet

according to Regulation (EU) 2015/830

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### 15.1.2. National regulations

#### Germany

**Employment restrictions** 

: Observe restrictions according Act on the Protection of Working Mothers (MuSchG)
Observe restrictions according Act on the Protection of Young People in Employment

(JArbSchG)

Water hazard class (WGK)

Hazardous Incident Ordinance (12. BlmSchV)

: WGK nwg, Non-hazardous to water (Classification according to AwSV, Annex 1)

: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Borstvoeding

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Ontwikkeling

: Ethyl alcohol is listed

: None of the components are listed

: Ethyl alcohol is listed

: Ethyl alcohol is listed

: Ethyl alcohol is listed

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Abbreviations and acrony	ms:
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BLV	Biological limit value
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
EC-No.	European Community number
EN	European Standard
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OEL	Occupational Exposure Limit

# Safety Data Sheet

according to Regulation (EU) 2015/830

PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
vPvB	Very Persistent and Very Bioaccumulative	
WGK	Water Hazard Class	

Revision information

: Issue date: 3/31/2020

Revision date: 3/31/2020

Version: 1.0

Data sources

: Loli. ECHA reference.

Training advice

: Normal use of this product shall imply use in accordance with the instructions on the packaging.

Classification according to Regulation (EC) No. 1272/2008 [CLP]:	
Flam. Sol. 1	H228

Full text of H- and EUH-statements:		
Flam. Liq. 2	Flammable liquids, Category 2	
H225	Highly flammable liquid and vapour.	
H228	Flammable solid.	

# SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.